




Precautions

- The various parts must be handled with care.
- Any impact may cause damage to the table.
- Two people are needed to assemble this table.
- It is advisable to assemble it on a towel or sheet to protect it from stains and scratches.


Tools

- Cross-headed screwdriver
- Key of 17




1

Place the table legs facing each other and turn them over.



2


Assemble the two column pedestals and the KIBOS by screwing them together from the inside.



*See page 5 for the KIBOS socket.


3

Raise both feet simultaneously.




4

Place the table top on the legs (with the head of the table level with the widest leg).





5

Access the internal parts of the table. Position the screws in the nuts provided, then tighten.



6




Connect the two column plugs (located in the table legs), pressing firmly to ensure contact.



7

Pass the power cable through the opening in the leg to position it under the table.

Plug in the table and lower and then raise the table completely to synchronise the columns.






*Go to page 5 for the heating system

*See page 5 for the sound system



8

Place the mattress by clipping it onto the tray




9

Place the cover under the table backrest



The table is now assembled !




If you encounter a problem during assembly,
please contact us on +33 1 87 66 51 55

The manufacturer declines all responsibility in any damage caused by
failure to follow the installation instructions in this document.


KIBOS connector

Position the box between the two pedestals. Connect the cable to the socket and pass it through the opening in the foot.




Heating system

Connect the male and female plugs of the heating system (present in the mattress) then connect them to the power supply box.



Foot control

Pass the foot control cable through the opening in the foot to position it under the table.



Sound system

Place the first speaker on the head section and the second on the body section and connect them to the Atman amp (Red to red / Black to black).

